

FROM THE DESK OF GARY BOSHART PRESIDENT

As we move forward into fall we are looking at maintaining the same steady flow in our business as we have seen over the summer months. An indication of this change of season is the departure of our summer students as they prepare for the opening of schools, Universities and College for their fall programs.

We attended the Jubilee in August where we showcased our new line of Flexible Couplings and Steel Well Seals. From all indicators these products will be well received in the market place.

As mentioned in our previous Bulletin we will have an array of compliant products available for sale in California and Vermont well in advance of the January 1, 2010 deadline.

There will be several upcoming shows we will be attending and hope to see you there.

BOSHART INDUSTRIES WEBSITE

A New Look!!! Check out our website for new features, easier navigation, and a new updated look. It offers customers access to our extranet to check stock, track shipments, look up current as well as any future pricing, place orders, look at sales history reports, and much more. It allows our reps - in real time - to look at sales by product or by customer, track shipments, get current pricing, and much, much more. We're proud of our cutting edge website with its simple navigation and invite you to come on in and take a look around. See your outside sales rep or ask one of our inside sales people for a demo of the web extranet today!



UPCOMING TRADE SHOWS

Show	Location	Date
Georgia Well Drillers Show	Marietta, Ga	Sept 19, 2009
California Groundwater Association	Silver Legacy Reno , NV	Nov 5-7, 2009
International Pool/Spa/Patio Expo	Mandalay Bay Convention Center Las Vegas, NV	Nov 16-18, 2009
International Irrigation	Henry B. Gonzalez Convention Ctr. San Antonio , TX	Dec 2-4, 2009
NGWA	New Orleans	Dec 10-12, 2009

PRODUCTS NOW AVAILABLE

FLEXIBLE COUPLINGS

Seal Well Products® Flexible couplings allow two dissimilar pipe materials and or sizes to be connected quickly and easily in Utility, Municipal and Plumbing applications including sewer, drain, waste and vent piping applications. Couplings fit over the ends of plain-end or spigot pipe to form a positive seal against infiltration and exfiltration in non-pressure environments. They have excellent dimensional flexibility with a tolerance range of approximately ± 5% nominal diameter which ensure leak proof seals.



FEATURES:

- Molded from specially formulated elastomeric polyvinyl chloride (PVC) that meets the requirements of ASTM C564, for durability and long-term performance.
- Durable PVC construction allows couplings to flex with normal earth movement. They are leak-proof, root-proof, completely unaffected by soil conditions and resistant to chemicals, ultraviolet rays, fungus growth and normal sewer gases due to the inert nature and physical properties of the material.
- UPC listed and tested to ASTM C1173 and CSA standard CSA B602 (Canadian Standards Association) by IAPMO (International Association of Plumbing and Mechanical Officials)
- Easy installation, clamps tighten easily with a screwdriver, 5/16" nut driver or socket torque driver set to 60" pounds torque holding pipe securely. Seal Well Products® uses clamps made entirely from Marine Grade 300 series stainless steel (screw, band and housing) offering the highest corrosion resistance and rust-proof reliability. The clamps are UPC listed by IAPMO and are manufactured in accordance with ANSI / SAE J-1670-2005.
- All couplings are conveniently marked with both the size and pipe materials that the coupling will connect, eliminating any confusion for the contractor on the job site.

PART NO.	INDUSTRY NO.	PART DESCRIPTION/ CONNECTION SIZES	DIMENSIONS						PART WEIGHT		QTY CASE
			A		B		C		LBS.	KGS	
			IN	MM	IN	MM	IN	MM			
Clay To Cast Iron Or Plastic											
FRC02-40	1002 / 02	4" Clay x 4" C.I. / Plastic	5.24	133	4.50	114	3.95	100	1.00	0.455	18
FRC02-60	1002 / 02	6" Clay x 6" C.I. / Plastic	7.40	188	6.56	167	6.00	152	2.25	1.021	6
Cast Iron, Plastic, Copper, Steel Or Lead To Cast Iron, Plastic, Copper, Steel Or Lead											
FRC56-15	1056 / 56	1-1/2" C.I./Plastic x 1-1/2" C.I./Plastic	1.90	48	1.90	48	3.43	87	0.22	0.098	24
FRC56-2015	1056 / 56	2" C.I./Plastic x 1-1/2" C.I. /Plastic	2.40	61	1.90	48	3.39	86	0.28	0.129	18
FRC56-20	1056 / 56	2" C.I./Plastic x 2" C.I. /Plastic	2.40	61	2.40	61	3.40	86	0.31	0.139	18
FRC56-3020	1056 / 56	3" C.I./Plastic x 2" C.I. /Plastic	3.50	89	2.40	61	3.96	101	0.56	0.254	24
FRC56-30	1056 / 56	3" C.I./Plastic x 3" C.I. /Plastic	3.50	89	3.50	89	4.00	102	0.67	0.304	15
FRC56-4030	1056 / 56	4" C.I./Plastic x 3" C.I. Plastic	4.50	114	3.50	89	4.00	102	0.77	0.350	15
FRC56-40	1056 / 56	4" C.I./Plastic x 4" C.I./Plastic	4.50	114	4.50	114	4.02	102	0.83	0.377	24
FRC56-6040	1056 / 56	6" C.I./Plastic x 4" C.I./Plastic	6.56	167	4.50	114	5.75	146	1.78	0.808	9
FRC56-60	1056 / 56	6" C.I./Plastic x 6" C.I./Plastic	6.56	167	6.56	167	5.70	145	2.02	0.919	6

FLEXIBLE END CAPS For Clean Out And Testing Of Sewer, Drain, Waste & Vent Piping

Seal Well Products® Clean Out / Test Caps are low cost and reusable. Available in 1-1/2" thru 4" sizes, designed to fit schedule 40 nominal pipe sizes in drain, waste, and vent pipe materials. These caps offer a quick and easy way to cap pipe ends and cleanouts. The convex face allows the cap to withstand greater pressure for testing and minimize ballooning.

- Molded from PVC that meets ASTM C564, UPC listed and tested to IAPMO Standard PS90-2006 and CSA B602.
- Maximum Test Pressure: 4.3 PSI (29.6KPA)
- Max. Operating Temp: 140° F non-consistent



PART NO.	INDUSTRY NO.	PART DESCRIPTION/ CONNECTION SIZES	DIMENSIONS						PART WEIGHT		QTY CASE
			A		B		C		LBS.	KGS	
			IN	MM	IN	MM	IN	MM			
FREC-15	QC	1-1/2" C.I. / Plastic End Cap	1.90	48	1.18	30			0.08	0.0379	24
FREC-20	QC	2" C.I. / Plastic End Cap	2.38	60	1.26	32			0.13	0.0610	24
FREC-30	QC	3" C.I. / Plastic End Cap	3.50	89	1.40	36			0.26	0.1158	24
FREC-40	QC	4" C.I. / Plastic End Cap	4.50	114	1.65	42			0.37	0.1683	24

FLEXIBLE END CAPS with Hose Bibb for Testing of Sewer, Drain, Waste & Vent

Seal Well Products® End Caps with Hose Bibb are a handy, convenient, one-piece unit. Their use permits contractors to direct the flow for filling and pressurizing the pipe and also allows for easy drainage of water used after testing is completed by simply disconnecting the hose from the source and directing the hose away to drain the pipe. They eliminate the need to fill DWV system from roof vent for pressure testing. They are designed for testing cast iron or Schedule 40 plastic pipe.



PART QTY NO.	INDUSTRY NO.	PART DESCRIPTION/ CONNECTION SIZES	DIMENSIONS						PART WEIGHT		CASE
			A		B		C		LBS.	KGS	
			IN	MM	IN	MM	IN	MM			
FRTC-15	QC c/w HB	1-1/2" CI/Plastic End Cap	1.9	48	1.18	30	3.65	93	0.73	0.3309	12
FRTC-20	QC c/w HB	2" CI/Plastic End Cap	2.38	60	1.26	32	3.73	95	0.78	0.3540	12
FRTC-30	QC c/w HB	3" CI/Plastic End Cap	3.5	89	1.4	36	3.87	98	0.90	0.4088	12
FRTC-40	QC c/w HB	4" CI/Plastic End Cap	4.5	114	1.65	42	4.12	105	1.02	0.4613	12

PRODUCTS NOW AVAILABLE

STEEL WELL SEALS

The following Steel Well Seals are now available:

- Single drop pipe hole (submersible pump seal)
- Solid, high strength steel top & bottom plates made from A36 hot rolled steel
- Steel plates are powder coated for durable finish
- 6" series available in both standard and heavy duty
- 8", 10" & 12" seals are all heavy duty for deep sets
- Soft extra thick 1" rubber glands for positive sealing
- Zinc plated steel bolts
- Large pump cable/wire holes for easy installation
- Carefully designed to provide clearance for pump cable conduit, bolt heads and vents
- Individually boxed



PART NO.	NOMINAL SIZE	GASKET O.D.	FITS CASING I.D.	DROP PIPE SIZE	VENT SIZE	CONDUIT SIZE - FPT	TOP PLA	MAX TELOAD	QUANTITY CTN	CASE	WEIGHT EACH-LBS
WSS6010	6"	5.95"	6" - 6-1/4"	1"	1/2"	1"	3/16	1100	1	8	4.00
WSS6012	6"	5.95"	6" - 6-1/4"	1-1/4"	1/2"	1"	3/16	1100	1	8	4.00
WSS6015	6"	5.95"	6" - 6-1/4"	1-1/2"	1/2"	1"	3/16	1100	1	8	4.00
WSS6020	6"	5.95"	6" - 6-1/4"	2"	1/2"	1"	3/16	1100	1	8	4.00
WSS6010HD	6"	5.95"	6" - 6-1/4"	1"	1/2"	1"	3/8	9000	1	8	4.00
WSS6012HD	6"	5.95"	6" - 6-1/4"	1-1/4"	1/2"	1"	3/8	9000	1	8	4.00
WSS6015HD	6"	5.95"	6" - 6-1/4"	1-1/2"	1/2"	1"	3/8	9000	1	8	4.00
WSS6020HD	6"	5.95"	6" - 6-1/4"	2"	1/2"	1"	3/8	9000	1	8	4.00
WSS6030HD	6"	5.95"	6" - 6-1/4"	3"	1/2"	1"	3/8	9000	1	8	4.00
WSS6210	6-1/4"	6.20"	6-1/4"	1"	1/2"	1"	3/16	1100	1	8	4.00
WSS6212	6-1/4"	6.20"	6-1/4"	1-1/4"	1/2"	1"	3/16	1100	1	8	4.00
WSS6215	6-1/4"	6.20"	6-1/4"	1-1/2"	1/2"	1"	3/16	1100	1	8	4.00
WSS6220	6-1/4"	6.20"	6-1/4"	2"	1/2"	1"	3/16	1100	1	8	4.00
WSS8010	8"	7.95"	8" - 8-1/4"	1"	1/2"	1-1/4"	3/8	6900	1	4	7.25
WSS8012	8"	7.95"	8" - 8-1/4"	1-1/4"	1/2"	1-1/4"	3/8	6900	1	4	7.25
WSS8015	8"	7.95"	8" - 8-1/4"	1-1/2"	1/2"	1-1/4"	3/8	6900	1	4	7.25
WSS8020	8"	7.95"	8" - 8-1/4"	2"	1/2"	1-1/4"	3/8	6900	1	4	7.25
WSS8030	8"	7.95"	8" - 8-1/4"	3"	1/2"	1-1/4"	1/2	12000	1	4	7.25
WSS8040	8"	7.95"	8" - 8-1/4"	4"	1/2"	1-1/4"	5/8	27000	1	4	7.25
WSS10010	10"	9.95"	10"	1"	1/2"	1-1/4"	3/8	2800	1	3	17.00
WSS10012	10"	9.95"	10"	1-1/4"	1/2"	1-1/4"	3/8	2800	1	3	17.00
WSS10015	10"	9.95"	10"	1-1/2"	1/2"	1-1/4"	3/8	2800	1	3	17.00
WSS10020	10"	9.95"	10"	2"	1/2"	1-1/4"	3/8	2800	1	3	17.00
WSS10030	10"	9.95"	10"	3"	1/2"	1-1/4"	5/8	16500	1	3	17.00
WSS10040	10"	9.95"	10"	4"	1/2"	1-1/4"	5/8	16500	1	3	17.00
WSS10060	10"	9.95"	10"	6"	1/2"	1"	3/4	34000	1	3	17.00
WSS12012	12"	11.95"	12"	1-1/4"	1/2"	1-1/4"	3/8	2800	1	1	26.00
WSS12015	12"	11.95"	12"	1-1/2"	1/2"	1-1/4"	3/8	2800	1	1	26.00
WSS12020	12"	11.95"	12"	2"	1/2"	1-1/4"	1/2	6600	1	1	26.00
WSS12030	12"	11.95"	12"	3"	1/2"	1-1/4"	5/8	12000	1	1	26.00
WSS12040	12"	11.95"	12"	4"	1/2"	1-1/4"	5/8	12000	1	1	26.00
WSS12050	12"	11.95"	12"	5"	1/2"	1-1/4"	3/4	22000	1	1	26.00
WSS12060	12"	11.95"	12"	6"	1/2"	1-1/4"	3/4	22000	1	1	26.00

BRASS READY CUT PIPE

Brass Ready Cut Pipe is now available. Please call your Inside Sales Rep for pricing.





**BOSHART
BIRTHDAYS**

Happy Birthday to the following Boshart employees:

September

Karen Sage
Arnie Gaunt

October

Paul Baier
Susan Kuepfer
Rodrique Doucet
Calvin Kuepfer
Liz Gascho
Gudrun Hobbs
Bruce Haselgrove
Jayne Boshart
Linda Jones
Krista Boshart
Curtis Priestap

**BOSHART
BULLETIN**

This publication is to provide our Sales Representatives and key customers with up-to-date information about Boshart Industries Inc. This is a bi-monthly publication. If you have something you would like to contribute please call 519-595-4444. Sherrin Clemmer ext.49 sherrin.clemmer@boshart.com

Boshart Industries Inc.
P.O. Box 310
25 Whaley Ave.
Milverton, ON, Canada
NOK IMO
Telephone - 1-800-561-3164
Fax - 1-519-595-4380
Web: www.boshart.com

GETTING TO KNOW.....

Julie Storey – Sales Manager


I have been a member of the Boshart Industries team for over eighteen (18) years. I began my journey as an Inside Sales Rep for the province of Ontario, Canada. After a few years I became a Sales Manager and my territory grew to include Quebec and the Atlantic region. I also became responsible for Canadian National Accounts and Rebate Groups as well as International Accounts. About four (4) years ago, my territory expanded to include Western U.S along with some of the US Rebate Groups and Nationals. Currently, I work with Inside Sales Reps, the Manufacturers Sales Rep Agencies as well as my designated National and Rebate Accounts and attend many Trade Shows. Brenda Hanna and I also are involved in determining pricing which has been, well, let’s just say, an interesting experience over the last few years.



On a personal note, I am married with two (2) daughters and a black lab. This year we added a beautiful baby grandson to the family. He’s three (3) months old (at time of print) and a very happy little (big) boy. After several years, I decided to put away the ball spikes with plans to play more golf. So far, my plan is still just that. Someday

It has been a rewarding experience being part of the growth of Boshart as well as having the opportunity to meet and work with so many knowledgeable people. I look forward to the future and being part of things yet to come. If it is anything like the last 18 years, it’s going to be great!

BOSHART CROSSWORD PUZZLE



ACROSS

- 1. Trade Mark on Flexible Couplings
- 2. Couplings constructed from this material
- 3. ___ plated steel bolts used on Steel Well Seals
- 5. Type of coupling now available
- 8. Name of this newsletter
- 9. End Caps available with _____.
- 10. President of Boshart Industries
- 11. Clamps used on flexible couplings made from marine ____.

DOWN

- 1. Type of well seal now available
- 4. Couplings resistant to ____.
- 6. Type of ready cut pipe now available
- 7. Steel Well Seals plates made from ____ steel